

(continued from outside back cover)

Solution grown ZnO rods: Synthesis, characterization and defect mediated photocatalytic activity S. Mukhopadhyay, P.P. Das, S. Maity, P. Ghosh and P.S. Devi (India) . . . . .	128
Efficient and stable Ni-Ce glycerol reforming catalysts: Chemical imaging using X-ray electron and scanning transmission microscopy E. Gallegos-Suárez, A. Guerrero-Ruiz, M. Fernández-García, I. Rodríguez-Ramos and A. Kubacka (Spain). . . . .	139
Nanotubes array electrodes by Pt evaporation: Half-cell characterization and PEM fuel cell demonstration S. Galbiati, A. Morin and N. Pauc (France) . . . . .	149
Mesoporous silica supported Rh catalysts for high concentration N <sub>2</sub> O decomposition M. Piumetti, M. Hussain, D. Fino and N. Russo (Italy, Pakistan) . . . . .	158
Supported copper-copper oxide nanoparticles as active, stable and low-cost catalyst in the methanolysis of ammonia-borane for chemical hydrogen storage M. Yurderi, A. Bulut, İ. E. Ertaş, M. Zahmakıran and M. Kaya (Turkey). . . . .	169
Electro-oxidation of ethanol on ternary Pt-Sn-Ce/C catalysts J.M. Jacob, P.G. Corradini, E. Antolini, N.A. Santos and J. Perez (Brazil, Italy) . . . . .	176
Electrochemical growth of platinum nanostructures for enhanced ethanol oxidation L.Q. Wang, M. Bevilacqua, J. Filippi, P. Fornasiero, M. Innocenti, A. Lavacchi, A. Marchionni, H.A. Miller and F. Vizza (Italy). . . . .	185
Deactivation of Cu/SAPO-34 during low-temperature NH <sub>3</sub> -SCR K. Leistner and L. Olsson (Sweden) . . . . .	192
Catalytic formation of 2,3,3,3-tetrafluoropropene from 2-chloro-3,3,3-trifluoropropene at fluorinated chromia: A study of reaction pathways K. Teinz, S.R. Manuel, B.B. Chen, A. Pigamo, N. Doucet and E. Kemnitz (Germany, USA, France). . . . .	200
Highly active Fe <sub>2</sub> O <sub>3</sub> -doped TiO <sub>2</sub> photocatalyst for degradation of trichloroethylene in air under UV and visible light irradiation: Experimental and computational studies A. Banisharif, A.A. Khodadadi, Y. Mortazavi, A. Anaraki Firooz, J. Beheshtian, S. Agah and S. Menbari (Iran). . . . .	209
Mechanochemical synthesis of copper manganese oxide for the ambient temperature oxidation of carbon monoxide T.J. Clarke, T.E. Davies, S.A. Kondrat and S.H. Taylor (UK) . . . . .	222
NO <sub>x</sub> storage and reduction properties of model manganese-based lean NO <sub>x</sub> trap catalysts Z.-s. Zhang, B.-b. Chen, X.-k. Wang, L. Xu, C. Au, C. Shi and M. Crocker (China, USA). . . . .	232
Radioisotopic investigation of the oleic acid-1- <sup>14</sup> C HDO reaction pathways on sulfided Mo/P/Al <sub>2</sub> O <sub>3</sub> and NiW/Al <sub>2</sub> O <sub>3</sub> catalysts T. Szarvas, Z. Eller, T. Kasza, T. Ollár, P. Tétényi and J. Hancsók (Hungary) . . . . .	245
Ketonisation of carboxylic acids over Zn-Cr oxide in the gas phase H. Bayahia, E.F. Kozhevnikova and I.V. Kozhevnikov (UK) . . . . .	253
Study of the effects of surface modification by thermal shock method on photocatalytic activity of TiO <sub>2</sub> P25 T. Khoa Le, D. Flahaut, H. Martinez, H.K. Hung Nguyen and T.K. Xuan Huynh (Vietnam, France) . . . . .	260
Synthesis of NiMo catalysts supported on mesoporous Al-SBA-15 with different morphologies and their catalytic performance of DBT HDS D. Gao, A. Duan, X. Zhang, Z. Zhao, H. E, J. Li and H. Wang (PR China) . . . . .	269
Fabrication and high photocatalytic performance of noble metal nanoparticles supported on 3DOM InVO <sub>4</sub> -BiVO <sub>4</sub> for the visible-light-driven degradation of rhodamine B and methylene blue K. Ji, J. Deng, H. Zang, J. Han, H. Arandiyán and H. Dai (China, Japan, Australia) . . . . .	285
K-promoted NiMo catalysts supported on activated carbon for the hydrogenation reaction of CO to higher alcohols: Effect of support and active metal E.T. Liakou, E. Heracleous, K.S. Triantafyllidis and A.A. Lemonidou (Greece). . . . .	296
Gas phase oxidation of <i>n</i> -decane and PCE by photocatalysis using an annular photoreactor packed with a monolithic catalytic bed coated with P25 and PC500 R.A.R. Monteiro, S.M. Miranda, C. Rodrigues-Silva, J.L. Faria, A.M.T. Silva, R.A.R. Boaventura and V.J.P. Vilar (Portugal) . . . . .	306
Hybrid catalysts—an innovative route to improve catalyst performance in the selective catalytic reduction of NO by NH <sub>3</sub> M. Salazar, R. Becker and W. Grünert (Germany) . . . . .	316
The effect of NOM to TiO <sub>2</sub> : interactions and photocatalytic behavior M. Drosos, M. Ren and F.H. Frimmel (Germany) . . . . .	328
A novel ternary plasmonic photocatalyst: ultrathin g-C <sub>3</sub> N <sub>4</sub> nanosheet hybridized by Ag/AgVO <sub>3</sub> nanoribbons with enhanced visible-light photocatalytic performance W. Zhao, Y. Guo, S. Wang, H. He, C. Sun and S. Yang (PR China). . . . .	335
On the improvement of PEC activity of hematite thin films deposited by high-power pulsed magnetron sputtering method S. Kment, Z. Hubicka, J. Krysa, D. Sekora, M. Zlamal, J. Olejniczek, M. Cada, P. Ksirova, Z. Remes, P. Schmuki, E. Schubert and R. Zboril (Czech Republic, USA, Germany) . . . . .	344
Water: the most effective solvent for liquid-phase hydrodechlorination of chlorophenols over Raney Ni catalyst X. Ma, Y. Liu, X. Li, J. Xu, G. Gu and C. Xia (China, USA) . . . . .	351
Preparation and characterization of a novel KOH activated graphite felt cathode for the electro-Fenton process Y. Wang, Y. Liu, K. Wang, S. Song, P. Tsiakaras and H. Liu (China, Greece) . . . . .	360
Effect of propene, propane, and methane on conversion and oxidation state of three-way catalysts: a microwave cavity perturbation study G. Beulertz, M. Votsmeier and R. Moos (Germany) . . . . .	369
A general method to diverse silver/mesoporous-metal-oxide nanocomposites with plasmon-enhanced photocatalytic activity T. Liu, B. Li, Y. Hao, F. Han, L. Zhang and L. Hu (PR China) . . . . .	378
Partial oxidation of methane over Ni <sup>0</sup> /La <sub>2</sub> O <sub>3</sub> bifunctional catalyst II: Global kinetics of methane total oxidation, dry reforming and partial oxidation T.H. Nguyen, A. Łamacz, A. Krztoń, A. Ura, K. Chałupka, M. Nowosielska, J. Rynkowski and G. Djéga-Mariadassou (Poland, Viet Nam, France) . . . . .	389

A strategy for improving deactivation of catalytic combustion at low temperature via synergistic photocatalysis D. Jiang, W. Wang, L. Zhang, R. Qiu, S. Sun and Y. Zheng (PR China) . . . . .	399
Catalytic ozonation for the removal of organic contaminants in water on alumina A. Ikhtlaq, D.R. Brown and B. Kasprzyk-Hordern (UK, Pakistan) . . . . .	408
Bio-inspired design: Inner-motile multifunctional ZnO/CdS heterostructures magnetically actuated artificial cilia film for photocatalytic hydrogen evolution F. Peng, Q. Zhou, D. Zhang, C. Lu, Y. Ni, J. Kou, J. Wang and Z. Xu (PR China) . . . . .	419
Fabrication of platinum-deposited carbon nitride nanotubes by a one-step solvothermal treatment strategy and their efficient visible-light photocatalytic activity K. Li, Z. Zeng, L. Yan, S. Luo, X. Luo, M. Huo and Y. Guo (PR China) . . . . .	428
A comparison of hydrothermal aging effects on $\text{NH}_3$ -SCR of $\text{NO}_x$ over Cu-SSZ-13 and Cu-SAPO-34 catalysts D. Wang, Y. Jangjou, Y. Liu, M.K. Sharma, J. Luo, J. Li, K. Kamasamudram and W.S. Epling (USA) . . . . .	438
Hydrodeoxygenation of the aqueous fraction of bio-oil with Ru/C and Pt/C catalysts A. Sanna, T.P. Vispute and G.W. Huber (UK, USA) . . . . .	446
Effect of the synthesis conditions of $\text{Ni}/\text{Al}_2\text{O}_3$ catalysts on the biogas decomposition to produce $\text{H}_2$ -rich gas and carbon nanofibers S. de Llobet, J.L. Pinilla, R. Moliner and I. Suelves (Spain) . . . . .	457
Designed $\text{SO}_4^{2-}/\text{Fe}_2\text{O}_3\text{-SiO}_2$ solid acids for polyoxymethylene dimethyl ethers synthesis: The acid sites control and reaction pathways H. Li, H. Song, L. Chen and C. Xia (China) . . . . .	466
Highly active spinel type $\text{CoCr}_2\text{O}_4$ catalysts for dichloromethane oxidation Y. Wang, A.-P. Jia, M.-F. Luo and J.-Q. Lu (China) . . . . .	477
Photocatalytical and antibacterial activity of $\text{TiO}_2$ nanoparticles obtained by laser ablation in water M. Zimbone, M.A. Buccheri, G. Cacciato, R. Sanz, G. Rappazzo, S. Boninelli, R. Reitano, L. Romano, V. Privitera and M.G. Grimaldi (Italy) . . . . .	487
Oxygen reduction reaction on electrodeposited PtAu alloy catalysts in the presence of phosphoric acid J.-E. Lim, U.J. Lee, S.H. Ahn, E. Cho, H.-J. Kim, J.H. Jang, H. Son and S.-K. Kim (Republic of Korea) . . . . .	495
Template-free synthesis of porous graphitic carbon nitride microspheres for enhanced photocatalytic hydrogen generation with high stability Q. Gu, Y. Liao, L. Yin, J. Long, X. Wang and C. Xue (Singapore, PR China) . . . . .	503
Carbon nitride nanosheets decorated with $\text{WO}_3$ nanorods: Ultrasonic-assisted facile synthesis and catalytic application in the green manufacture of dialdehydes J. Ding, Q. Liu, Z. Zhang, X. Liu, J. Zhao, S. Cheng, B. Zong and W.-L. Dai (PR China) . . . . .	511
Structure sensitivity of selective catalytic reduction of NO with propylene over Cu-doped $\text{Ti}_{0.5}\text{Zr}_{0.5}\text{O}_{2-\delta}$ catalysts J. Liu, Q. Zhao, X. Li, J. Chen and D. Zhang (China, USA, Australia) . . . . .	519
Efficient behaviour of hematite towards the photocatalytic degradation of $\text{NO}_x$ gases R. Sugrañez, J. Balbuena, M. Cruz-Yusta, F. Martín, J. Morales and L. Sánchez (Spain) . . . . .	529
Understanding of the effect of synthesis temperature on the crystallization and activity of nano- $\text{MoS}_2$ catalyst H. Zhang, H. Lin, Y. Zheng, Y. Hu and A. MacLennan (Canada) . . . . .	537
Sustainable production of aromatics from bio-oils through combined catalytic upgrading with <i>in situ</i> generated hydrogen F. Li, Y. Yuan, Z. Huang, B. Chen and F. Wang (P.R. China) . . . . .	547
Hydrogen-reduced Cu/ZnO composite as efficient reusable catalyst for diesel particulate matter oxidation G. Corro, S. Cebada, U. Pal, J.L.G. Fierro and J. Alvarado (Mexico, Spain) . . . . .	555
Nitrogen-doped ordered mesoporous carbon: synthesis and active sites for electrocatalysis of oxygen reduction reaction K. Wan, G.-F. Long, M.-Y. Liu, L. Du, Z.-X. Liang and P. Tsiakaras (P.R. China, Greece) . . . . .	566
Sulfate radicals induced from peroxymonosulfate by magnetic ferrosin $\text{MFe}_2\text{O}_4$ ( $\text{M} = \text{Co}, \text{Cu}, \text{Mn}, \text{and Zn}$ ) as heterogeneous catalysts in the water Y. Ren, L. Lin, J. Ma, J. Yang, J. Feng and Z. Fan (PR China) . . . . .	572
Synergism between n-type $\text{WO}_3$ and p-type $\delta\text{-FeOOH}$ semiconductors: High interfacial contacts and enhanced photocatalysis L.V.C. Lima, M. Rodriguez, V.A.A. Freitas, T.E. Souza, A.E.H. Machado, A.O.T. Patrocínio, J.D. Fabris, L.C.A. Oliveira and M.C. Pereira (Brazil) . . . . .	579
Getting insight into the influence of $\text{SO}_2$ on $\text{TiO}_2/\text{CeO}_2$ for the selective catalytic reduction of NO by $\text{NH}_3$ L. Zhang, L. Li, Y. Cao, X. Yao, C. Ge, F. Gao, Y. Deng, C. Tang and L. Dong (PR China) . . . . .	589
Nanostructured copper-zirconia composites as catalysts for methanol decomposition T. Tsoncheva, I. Genova, M. Dimitrov, E. Sarcadi-Priboczki, A.M. Venezia, D. Kovacheva, N. Scotti and V. dal Santo (Bulgaria, Hungary, Italy) . . . . .	599
Pt modified tungsten carbide as anode electrocatalyst for hydrogen oxidation in proton exchange membrane fuel cell: CO tolerance and stability A. Hassan, V.A. Paganin and E.A. Ticianelli (Brazil) . . . . .	611
Shift from heterogeneous to homogeneous catalysis during resorcinol degradation using the solar photo-Fenton process initiated at circumneutral pH J.F. Barona, D.F. Morales, L.F. González-Bahamón, C. Pulgarín and L.N. Benítez (Colombia, Switzerland) . . . . .	620
Mn/ $\text{TiO}_2$ and Mn-Fe/ $\text{TiO}_2$ catalysts synthesized by deposition precipitation—promising for selective catalytic reduction of NO with $\text{NH}_3$ at low temperatures S.S.R. Putluru, L. Schill, A.D. Jensen, B. Siret, F. Tabaries and R. Fehrmann (Denmark, France) . . . . .	628
A bimetallic carbide $\text{Fe}_2\text{MoC}$ promoted Pd electrocatalyst with performance superior to Pt/C towards the oxygen reduction reaction in acidic media Z. Yan, M. Zhang, J. Xie, J. Zhu and P.K. Shen (PR China) . . . . .	636
Synthesis of glycerol carbonate from the transesterification of dimethyl carbonate with glycerol using DABCO and DABCO-anchored Merrifield resin F.S.H. Simanjuntak, J.S. Choi, G. Lee, H.J. Lee, S.D. Lee, M. Cheong, H.S. Kim and H. Lee (Republic of Korea) . . . . .	642

Effect of Mn loading onto MnFeO nanocomposites for the CO <sub>2</sub> hydrogenation reaction	
M. Al-Dossary, A.A. Ismail, J.L.G. Fierro, H. Bouzid and S.A. Al-Sayari (Spain, Saudi Arabia, Egypt, Tunisia) . . . . .	651
Green Suzuki–Miyaura coupling reaction catalyzed by palladium nanoparticles supported on graphitic carbon nitride	
J. Sun, Y. Fu, G. He, X. Sun and X. Wang (China) . . . . .	661
Bismuth-rich strategy induced photocatalytic molecular oxygen activation properties of bismuth oxyhalogen: The case of Bi <sub>24</sub> O <sub>31</sub> Cl <sub>10</sub>	
X. Jin, L. Ye, H. Wang, Y. Su, H. Xie, Z. Zhong and H. Zhang (People's Republic of China) . . . . .	668
Electrochemical oxidation of CO and methanol on Pt–Ru catalysts supported on carbon nanofibers: the influence of synthesis method	
J.C. Calderón, G. García, L. Calvillo, J.L. Rodríguez, M.J. Lázaro and E. Pastor (Spain) . . . . .	676
Degradation of acetic acid by heterogeneous Fenton-like oxidation over iron-containing ZSM-5 zeolites	
A. Cihanoğlu, G. Gündüz and M. Dükkancı (Turkey) . . . . .	687
Ag/bauxite catalysts: Improved low-temperature activity and SO <sub>2</sub> tolerance for H <sub>2</sub> -promoted NH <sub>3</sub> -SCR of NO <sub>x</sub>	
X. Wang, L. Jiang, J. Wang and R. Wang (China) . . . . .	700
Carbon nanotubes as catalysts for catalytic wet peroxide oxidation of highly concentrated phenol solutions: towards process intensification	
M.T. Pinho, H.T. Gomes, R.S. Ribeiro, J.L. Faria and A.M.T. Silva (Portugal) . . . . .	706
C-doped hollow TiO <sub>2</sub> spheres: in situ synthesis, controlled shell thickness, and superior visible-light photocatalytic activity	
Y. Zhang, Z. Zhao, J. Chen, L. Cheng, J. Chang, W. Sheng, C. Hu and S. Cao (China, P. R. China) . . . . .	715
Esterification and transesterification of waste cooking oil over Amberlyst 15 and modified Amberlyst 15 catalysts	
N. Boz, N. Degirmenbasi and D.M. Kalyon (Turkey, USA) . . . . .	723
Ion induced promotion of activity enhancement of mesoporous manganese oxides for aerobic oxidation reactions	
S. Biswas, A.S. Poyraz, Y. Meng, C.-H. Kuo, C. Guild, H. Tripp and S.L. Suib (USA) . . . . .	731
Nanostructured ceria-based catalysts for soot combustion: Investigations on the surface sensitivity	
M. Piumetti, S. Bensaid, N. Russo and D. Fino (Italy) . . . . .	742
Large-pore mesoporous RuNi-doped TiO <sub>2</sub> –Al <sub>2</sub> O <sub>3</sub> nanocomposites for highly efficient selective CO methanation in hydrogen-rich reformat gases	
X. Dai, J. Liang, D. Ma, X. Zhang, H. Zhao, B. Zhao, Z. Guo, F. Kleitz and S. Qiao (China, Australia, Canada) . . . . .	752
Synthesis of hierarchically porous L-KIT-6 silica–alumina material and the super catalytic performances for hydrodesulfurization of benzothiophene	
A. Duan, T. Li, Z. Zhao, B. Liu, X. Zhou, G. Jiang, J. Liu, Y. Wei and H. Pan (PR China) . . . . .	763